


YJL2305CHQ

RoHS
COMPLIANT



" 5₆ 2₁ DW₆ 9 9 Ø P
" 5₆ 2₁ DW₆ 9 9 Ø P

General Description

" /RZ'5_{RQ})20
" ([WUHPHO\ ORZ VZLWFKLQJ ORVV
" 0RLVWXUH 6HQVLWLYLW\ /HYHO
" (SR[\ 0HHWV 8)ODPDELOLW\ 5DWLQJ
" 3DUW QR Z4WRKHDXIVL\$(3& 4 TXDOLILHG
" +DORJHQ)UHH

Applications

" 3RZHU PDQDJHPPHQW
" 3RUWDEOH HTXLSPHQW

v Absolute Maximum Ratings 7 XQOHVV RWKHUZZLVH QRWHG

Parameter	Symbol	Limit	Unit
'UDLQ VRXUFH 9ROWDJH	9 ₆		9
*DWH VRXUFH 9ROWDJH	* ₆	9 f	9
'UDLQ &XUUHQW	7 _s -	;	\$
	7 _s -		
3XOVHG 'UDLQ &XUUHQW	' ₀		
7RWDO 3RZHU %LVVLSDWLRQ	7 _s -	3	:
	7 _s -		

-XQFWLRQ DQG 6WRUDJH 7HPHUDWXUH 5DQJH . 7 7

		- \$			- :
--	--	------	--	--	-----

v Ordering Information ([DP SOH

PREFERRED P/N	PACKING CODE	Marking	MINIMUM PACKAGE(pcs)	INNER BOX QUANTITY(pcs)	OUTER CARTON QUANTITY(pcs)	DELIVERY MODE
< - / & + 4)	δ				³ UHHO




YJL2305CHQ



v **Electrical Characteristics** 7

XQOHVV RWKHUZLVH QRWHG

v7\SLFDO (OHFWULFDO DQG 7KHUPDO &KDUDFWHULVWLFV 'LDJUDPV




YJL2305CHQ






YJL2305CHQ


vSOT-23 Package information



:56 </+=



9/*+ </+=



81, ØPP

9;--+9:+* 952*+8 6'* 2'?5;:

