


Small Signal Zener Diode



SOT-23

Features

- Epoxy meets UL-94 V-0 flammability rating and halogen free
- Moisture Sensitivity Level 1
- Zener Voltage 2.4V~47V
- V_z -tolerance for both diodes in one case is 5%
- Part no. with suffix "Q" means AEC-Q101 qualified

Applications

- General regulation functions

Mechanical Data

Case: SOT-23

Terminals: Tin plated leads, solderable per J-STD-002 and JESD22-B102

Limiting Values (Absolute Maximum Rating, $T_a=25$ Unless otherwise specified)

Characteristic	Symbol	Value	Units
Power Dissipation	$P_{D[1]}$	300	mW
Maximum Forward Voltage $I_F=10mA_{dc}$	V_F	0.9	V
Maximum Regulator Current	$I_{ZM[1]}$	P_D / V_z	mA
Thermal Resistance from Junction to Ambient	R_{JA}	417	/W
Storage Temperature Range	T_{STG}	-55~+150	
Operation Temperature	T_J	-55~+150	

[1] Single diode loaded

Ordering Information (Example)

PREFERRED P/N	PACKING CODE	UNIT WEIGHT(g)	MINIMUM PACKAGE(pcs)	INNER BOX QUANTITY(pcs)	OUTER CARTON QUANTITY(pcs)	DELIVERY MODE
DZ23C2V4Q THRU DZ23C47Q	F2	Approximate 0.01	3000	30000	120000	7" reel




DZ23C2V4Q THRU DZ23C47Q

Electrical Characteristics $T_a=25$ Unless otherwise specified

Type Number	Device Marking	V_z at I_{zt} (V)	I_{zt}	Z_{zt} ()	Z_{zk} ()	$I_R(\mu A)@V_R$	Typical Temperature Coefficient@ I
-------------	----------------	-----------------------	----------	--------------	--------------	------------------	------------------------------------

' = & 9 4 7 + 5 8 ' = & 4

v & KDUDFWH7USVW00V



6 6
5HY

'HF

<DQJ]KRX <DQJME7H0K0W0R0L&R /ZG \DQJMLH P

DZ23C2V4Q THRU DZ23C47Q



DZ23C2V4Q THRU DZ23C47Q

Disclaimer

The information presented in this document is for reference only. Yangzhou Yangjie Electronic Technology Co., Ltd. reserves the right to make changes without notice for the specification of the products displayed herein to improve reliability, function or design or otherwise.

The product listed herein is designed to be used with automotive electronics. They are not designed for use in medical, life saving, lifesustaining, or military. Yangjie or anyone on its behalf, assumes no responsibility or liability for any damages resulting from such improper use of sale.

This publication supersedes & replaces all information previously supplied. For additional information, please visit our website [http:// www.21yangjie.com](http://www.21yangjie.com) , or consult your nearest Yangjie's sales office for further assistance.