




PNP General Purpose Amplifier



Features

Mechanical Data Package

Terminals:

Marking:

Maximum Ratings

Item	Symbol	Rating	Unit

Ordering Information

PREFERRED P/N	PACKING CODE	UNIT WEIGHT(g)	MINIMUM PACKAGE(pcs)	INNER BOX QUANTITY(pcs)	OUTER CARTON QUANTITY(pcs)	DELIVERY MODE

6 \$ \$

v(OHFWULFDO &K&DUDFWH&QDQWVFRWKHU&LVH VSHFLILHG

,WHP	6\PERO	8QLW	&RQGLWLRQV	0LQ	7<3	0D[
&ROOHFWRU EDVH EUHDNGRZQ YROWDJH			,& 9 \$,(
&ROOHFWRU HPLWWHU EUHDNGRZQ YROWDJH			& P\$9,%			
(PLWWHU EDVH EUHDNGRZQ YROWDJH9			, (9 \$,&			
&ROOHFWRU EDVH FXW RII FXUUHQW \$			9&% 9 ,(
(PLWWHU EDVH FXW RII FXUUHQW X\$			9(% 9 ,&			
'& FXUUHQW JDLQ) (K	9&(9 ,& P\$			
&ROOHFWRU HPLWWHU VDWXUDWLRQ YROWDJH			P\$,& P\$			
2XWSXW &DSDFLWDQFH		&RE	9 9&%	9 ,(I 0+]		
7UDQVLWLRQ IUHTXHQF\	7	0+] I	9&(9 ,& P\$ I	0+]		

v&ODVVLILFDWLRQ RI K




5DQN	6\$ \$ 4	6\$ \$ 5	6\$ \$ 6
5DQJH			

v&KDUDFWHUSLVWDQV




2SA1576A

RoHS
COMPLIANT



SOT-323 Package Outline Dimensions



DIMENSIONS				
SYMBOL	INCHES		Millimeter	
	MIN.	MAX.	MIN.	MAX.
A	0.035	0.043	0.900	1.100
A1	0.000	0.004	0.000	0.100
B	0.000	0.000	0.000	0.000
C	0.000	0.000	0.000	0.000
D	0.000	0.000	0.000	0.000
E	0.000	0.000	0.000	0.000
F	0.000	0.000	0.000	0.000
G	0.000	0.000	0.000	0.000
H	0.000	0.000	0.000	0.000
I	0.000	0.000	0.000	0.000
J	0.000	0.000	0.000	0.000
K	0.000	0.000	0.000	0.000
L	0.000	0.000	0.000	0.000
M	0.000	0.000	0.000	0.000
N	0.000	0.000	0.000	0.000
O	0.000	0.000	0.000	0.000
P	0.000	0.000	0.000	0.000
Q	0.000	0.000	0.000	0.000
R	0.000	0.000	0.000	0.000
S	0.000	0.000	0.000	0.000
T	0.000	0.000	0.000	0.000
U	0.000	0.000	0.000	0.000
V	0.000	0.000	0.000	0.000
W	0.000	0.000	0.000	0.000
X	0.000	0.000	0.000	0.000
Y	0.000	0.000	0.000	0.000
Z	0.000	0.000	0.000	0.000

SOT-323 Soldering Footprint





2SA1576A

RoHS
COMPLIANT

Disclaimer