





(0 \$*

RoHS
COMPLIANT

3ODVWLF +LJK 9ROWDJH 5HFWLILH



)HDWXUHV

" 95 .9

" ,2 \$

" *ODVV SDVVLYDWHG FKLS MXQFWLRQ

" +LJK VXUJH FXUUHQW FDSDELOLW\

0HFKDQLFDO 'DWD

" 3DFNDJH\$:

0ROGLQJ FRPSRQGH PHHWDPPDELOLW\

UDWLQJ 5R+6 FRPSOLDQW

" 7HUPLQJLQVSODWHG OHDGV VROGHUDEOH S

- 67' DQG -(6' %

" 3RODUKRWKRGH OLQWKRGHQRWKIRGH HQG

v0D[LPXP 5DWLQJ-V 8QOHVV RWKHU²LVH VSHFLILHG

3\$5\$0(7(5	6<0%2/	81,7	(0 \$*
'HYLFH PDUNLQJ FRGH			(0 \$*
0D[LPXP 5HSHWLWLYH SHDN UH ² YHUVH YROWDJH			
0D[LPXP 506 9ROWDJH	9 ₅₀₆	9	
0D[LPXP '& %ORFNLQJ 9ROWDJH		9	
\$YHUDJH UHFWLILHG RXWSXW FXUUHQW # +] VLQH ZDYH 5HVLVWDQFH ² ORDG			
)RUZDUG 6XUJH &XUUHQW # +] +DOI VLQH ZDYH F\FOH 7M	1RQ UHSHWLWLYH		
)RUZDUG 6XUJH &XUUHQW # PV VTXDUH ZDYH F\FOH 7M	1RQ ⁶⁰ UHSHWLWLYH		\$
&XUUHQW VTXDUHG WLP # PV"W" PV 7M	, W	\$ V	
6WRUDJH WHPSHUDWXUH	7VWJ	-	a
-XQFWLRQ WHPSHUDWXUH	7M	-	a

v(OHFWULFDO &K²UDFWH²QVWFRWKHU²LVH VSHFLILHG

3\$5\$0(7(5	6<0%2	81,7	7(67 &21',7,216	(0 \$*
-------------	-------	------	--------------------	--------

0D[LPXP LQVWDQWDQHRXV
IRUZDUG YROWDJH

--	--	--	--	--



(0 \$ *

v2UGHULQJ ,QIRUPPSVLRQ


35() (5(' 3 1	3\$&.\$*(&2' (	81,7 : (, *+7	0,1,080 3\$&.\$*(SF	,11(5 %2; 48\$17,7< S	287(5 &\$572 48\$17,7< S	'(/,9(5< 02' (
(0 \$ *	)	\$SSUR[LPDWH				

5HHO

v7KHUPDO &KDUDÄFWHUL8VQLFVV RWKHUAÄLVH VSHFLILHG

3\$5\$0(7(5	6<0%2/	81,7	(0 \$ *
-------------	--------	------	---------

7\SLFDO 7KHUPDO 5HV5VWDQFH



Technical drawing of a rectangle. The horizontal dimension is labeled 'A' and the vertical dimension is labeled 'B'. The drawing includes dimension lines with arrows and tick marks.

• b, X ! (5P"€Sa8)X X 6 l ... 4v'hS l ... 4v

'LP	0 LQ	0 D
\$		
%		
&		
'		
(		
)		
*		



(0 \$ *

'LVFODLPHU

7KH LQIRUPDWLRQ SURGXFWV LQ WKH HQJXHE RQ MLH (OHFWURQLF 7HHQRO
ULJKW WR PDNH FKDLQ VRZLWKRXV KLSURGXFWV GLWSOD\HG KHUHLQ WRGLPSURY
RU RWKHUZZLVH